

# Installation Instructions for the Naval Year 2000 Tracking System Oracle JInitiator Software

Dated: 25 January 1999


1. To install the Oracle J-Initiator, go to the Naval Year 2000 Tracking System (NY2KTS) Web Site using the following URL  
“//corp-nt24.nawcad.navy.mil/forms\_jinit?module=rpt\_menu.fmx” the browser will briefly display the following screen.



## **PRE-INSTALLATION NOTE:**

You must be ready to install the Oracle J-Initiator prior to accessing this web site. If you access the web site and then cancel, the J-Initiator will not be installed correctly. This problem only exists in Netscape. MS Internet Explorer (IE) will automatically install the J-Initiator without the requirement for all of these steps.

After a few seconds, the screen below will be displayed:



# Do Not Cancel!


# Installation Instructions for the Naval Year 2000 Tracking System Oracle JInitiator Software

Dated: 25 January 1999

- At this point you must be sure that you want to download the plug-in. DO NOT HIT **'CANCEL'**!! If you get to this point the registry files on your computer HAVE ALREADY CHANGED! If you press Cancel you won't be able to download the j-initiator again.
- The following screen will now appear, select the "Download the Oracle J-Initiator 1.1.5.3 plug in" link to start the download process.



- After selecting the link to download the J-Initiator you will be given a screen similar to the following. Choose the location where you want to download the J-Initiator and click SAVE.




# Installation Instructions for the Naval Year 2000 Tracking System Oracle JInitiator Software

Dated: 25 January 1999

REMEMBER, you are only downloading the j-initiator, you haven't installed it yet. It does not matter where you save it on your hard drive as long as you remember where you saved it. The name of the file being saved is jinit1153.exe.

6. You will see a screen like the one below when the jinit1153.exe is being saved.  
Download times will vary depending on internet traffic, ISP, and/or modem speed, etc.



7. If you are using Netscape only, after the file has downloaded, close your browser and go to your explorer and find the file you just saved. After locating the jinit1153.exe, double click it and the actual installation of the J-Initiator will begin. Follow the prompts to install the J-Initiator, select all of the default values. Once it is done installing, open your browser back up so that the changes will take effect and allow you to effectively use the NavalY2K Tracking System.
8. If you are using IE, the J-Initiator will automatically install for you.